



## Brick Lift—— Dimension drawing

STONIMAGE , 2024/5/8


# ■ Brick Lift

Lifting height : 2m

## Brick Lift • Dimension

### Model: BF 200

- Product Name: Brick lift
- Max. lifting height: 2m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 1.7m
- Fork base L\*W: 1.9m\*0.8m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




# ■ Brick Lift

Lifting height : 3m

## Brick Lift • Dimension

### Model: BF 300

- Product Name: Brick lift
- Max. lifting height: 3m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 2.2m
- Fork base L\*W: 1.9m\*0.8m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




# ■ Brick Lift

Lifting height : 4m

## Brick Lift • Dimension

### Model: BF 400

- Product Name: Brick lift
- Max. lifting height: 4m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 2.7m
- Fork base L\*W: 1.9m\*0.8m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




# ■ Brick Lift

Lifting height : 5m

## Brick Lift • Dimension

### Model: BF 500

- Product Name: Brick lift
- Max. lifting height: 5m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 3.2m
- Fork base L\*W: 1.9m\*0.8m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




# ■ Brick Lift

Lifting height : 6m

## Brick Lift • Dimension

### Model: BF 600

- Product Name: Brick lift
- Max. lifting height: 6m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 3.7m
- Fork base L\*W: 1.9m\*1.2m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




# ■ Brick Lift

Lifting height : 7m

## Brick Lift • Dimension

### Model: BF 700

- Product Name: Brick lift
- Max. lifting height: 7m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 4.2m
- Fork base L\*W: 1.9m\*1.2m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




# ■ Brick Lift

Lifting height : 8m

## Brick Lift • Dimension

### Model: BF 800

- Product Name: Brick lift
- Max. lifting height: 8m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 4.7m
- Fork base L\*W: 1.9m\*1.2m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope





# ■ Brick Lift

Lifting height : 9m

## Brick Lift • Dimension

### Model: BF 900

- Product Name: Brick lift
- Max. lifting height: 9m
- Load capacity: 200kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type : Standard or reverse fork
- Self-height: 5.2m
- Fork base L\*W: 1.9m\*1.2m
- Fork L\*W: 85cm\*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope

